











A PACKAGE FOR AN OSTOMY APPLIANCE**Publication number:** WO03022186**Publication date:** 2003-03-20**Inventor:** ANDERSEN BIRTHE VESTBO (DK); OLSEN ESKIL
HOEJLAND (DK)**Applicant:** COLOPLAST AS (DK); ANDERSEN BIRTHE VESTBO
(DK); OLSEN ESKIL HOEJLAND (DK)**Classification:****- international:** **A61F5/445; A61F5/445;** (IPC1-7): A61F5/455**- european:** A61F5/445**Application number:** WO2002DK00586 20020906**Priority number(s):** DK20010001320 20010907**Also published as:** EP1423064 (A1)
 US2005040060 (A1)
 EP1423064 (A0)
 CA2458976 (A1)
 EP1423064 (B1)**Cited documents:** US5135519
 DE29703223U
 DE3038923
 GB2083762
 US5647670**Report a data error here****Abstract of WO03022186**

A package for a disposable ostomy receiving bag, said package comprising a first compartment capable of accommodating a (fresh) ostomy receiving bag and a second compartment capable of accommodating a used ostomy receiving bag, said second compartment being sealable so as to confine the receiving bag facilitates the handling of fresh and used bags and renders the user more independent of the availability of a lavatory.

Data supplied from the **esp@cenet** database - Worldwide

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
20 March 2003 (20.03.2003)

PCT

(10) International Publication Number
WO 03/022186 A1

(51) International Patent Classification⁷: **A61F 5/455**

(21) International Application Number: **PCT/DK02/00586**

(22) International Filing Date:
6 September 2002 (06.09.2002)

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:
PA 2001 01320 7 September 2001 (07.09.2001) **DK**

(71) Applicant (for all designated States except US): **COLOPLAST A/S** [DK/DK]; Høltedam 1, DK-3050 Humlebaek (DK).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **ANDERSEN, Birthe, Vestbo** [DK/DK]; Hovgaardsparken 9, 2.th., DK-3060 Espergaerde (DK). **OLSEN, Eskil, Hoejland** [DK/DK]; Langebjergvej 267c, DK-3050 Humlebaek (DK).

(74) Common Representative: **COLOPLAST A/S**; Nilausen, Kim, Patent Dept., Høltedam 1, DK-3050 Humlebaek (DK).

(81) Designated States (*national*): AE, AG, AL, AM, AT (utility model), AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ (utility model), CZ, DE (utility model), DE, DK (utility model), DK, DM, DZ, EC, EE (utility model), EE, ES, FI (utility model), FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK (utility model), SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 03/022186 A1

(54) Title: **A PACKAGE FOR AN OSTOMY APPLIANCE**

(57) Abstract: A package for a disposable ostomy receiving bag, said package comprising a first compartment capable of accommodating a (fresh) o stomy receiving bag and a second compartment capable of accommodating a used ostomy receiving bag, said second compartment being sealable so as to confine the receiving bag facilitates the handling of fresh and used bags and renders the user more independent of the availability of a lavatory.

TITLE

A Package for An Ostomy Appliance

BACKGROUND OF THE INVENTION**1. Field of the Invention**

- 5 The present invention relates to a package for a collecting bag to be secured to the abdomen of a patient or to a body side ostomy member for collecting fluids or excretions emerging from an abdominal stoma.

In connection with surgery for a number of diseases in the gastro-intestinal or urinary tract a consequence is, in many cases, that the colon, the ileum or the
10 ureter has been exposed surgically and the patient is left with an abdominal stoma, or, in nephrostomy or ureterostomy, the ureter or a catheter is exposed in the back or the chest region or abdominal region, and the effluents or waste products of the body, which are conveyed through these organs, are discharged through the artificial orifice or opening and are collected in a collection bag,
15 which is usually adhered to the skin by means of an adhesive wafer or plate having an inlet opening for accommodating the stoma/ureter/catheter. Also in connection with a fistula, the patient will have to rely on an appliance to collect the bodily material emerging from such opening.

Ostomy appliances are well known. Such appliances may be two-piece or
20 one-piece appliances. In both types of appliances, an adhesive barrier member (or base plate) is attached to the wearer's abdomen/back/chest. In case of a one-piece appliance, a receiving member or bag is attached to the base plate. In case of a two-piece appliance, the adhesive barrier member forms part of a body side member and a receiving member or bag is attached releasably to the body
25 side ostomy member for receiving exudates from the stoma.

When using one-piece appliances, the whole appliance, including the adhesive skin barrier securing the appliance to the skin is normally removed and replaced by a fresh appliance. When using two-piece appliances, the body side ostomy member is left in place up to several days, and only the receiving member or bag

attached to the body side member is replaced. The attachment means for attaching an ostomy receiving bag may e.g. be a system comprising matching coupling rings or matching flanges and adhesive surfaces engaging with and sealing against a flange area of the body side member.

- 5 A known major problem with such receiving bags is that it can be difficult to dispose of the used bag in a convenient and hygienic manner. Some ostomists will cut the used bags open, e.g. by cutting off an edge thereof and deposit the contents into a WC for flushing away and dispose or deposit the empty bag in a waste bin. Such disposal of used bags and the contents therein is indeed
- 10 unhygienic and unpleasant for the user, and the problems with disposal of a used bag is even more pronounced if the user does not have access to normal toilet facilities, e.g. when travelling.

SUMMARY OF THE INVENTION

- The present invention relates to a package for a disposable ostomy receiving
- 15 bag.

The present invention is described with reference to use in connection with an ostomy collecting bag but other uses of the package overcoming corresponding problems are also considered a part of the invention, e.g. the use in connection with handling hygienic articles such as sanitary towels or diapers.

20 Brief Description of the Drawings

- The invention is disclosed more in detail with reference to the drawings in which
- Fig. 1 shows a sectional view of an embodiment of package of the invention showing an open first compartment,
- Fig. 2 shows the same embodiment as Fig. 1 having a closed first compartment,
- 25 Fig. 3 shows another embodiment of a package of the invention,
- Fig. 4 shows a front view of a closed package of the invention, and
- Fig. 5 shows a sectional view of the package shown in Fig. 4.

Detailed Description of the Present Invention

The present invention relates to a package for a disposable ostomy receiving bag, said package comprising a first compartment capable of accommodating a (fresh) ostomy receiving bag and a second compartment capable of accommo-
5 dating a used ostomy receiving bag, said second compartment being sealable so as to confine the receiving bag.

The bag of the invention facilitates the handling of fresh and used bags and renders the user more independent on immediate availability of a lavatory or toilet facilities when having to substitute a bag while being out of the daily where-
10 abouts. Thus, the invention renders it easy for an ostomate to carry a fresh bag in a discrete manner and also to handle the used bag in a safe and discrete manner reducing the risk of embarrassing situations in case of a leak liberating odour or the contents of the bag. This will increase the chances of living a more normal social life and increase the quality of life of the ostomate.

15 The package of the invention may be used for receiving bags for both one-piece and two-piece applications.

Suitable materials for a package of the present invention are thin flexible sheet materials which are moisture resistant and impervious to liquids and preferably
20 also odours, e.g. polyolefins such as polyethylene or polypropylene, EVA, polyvinylidene chloride, or chlorinated polyethylene or copolymers of PE and EVA or combinations of such foils. The walls of the bag may in a special embodiment be laminated with materials conventionally used in the production of ostomy appliances such as non-woven materials of polyethylene, polypropylene or a
25 polyester.

A suitable embodiment of a package is in the form of a bag having a closed end and an open end and having a first wall and a second wall, said bag being folded so that the closed end of the first wall is parallel to the open end of the first wall and the edges of the folded first wall being sealed releasably together to
30 form the first compartment. In this embodiment, a relatively large bag which may accommodate a used bag with contents is also rendered suitable for

accommodating a fresh receiving bag and, at the same time, ensures as high a degree of discretion as it may e.g. be carried in a hand bag or a pocket. It is preferred that the material for a package of the invention is opaque for blurring the contents for improving the discretion when it is necessary to carry the
5 package containing a used bag.

The sealing may be effected using adhesive or a peel welding seam known per se, said seam preferably stretching along the rims of the folded bag. The seams may be continuous or interrupted. The peel strength of adhesive or welding seam should preferably be lower than the tearing resistance of the material for the
10 package for enabling an easy breaking of the seal without risk of damaging the walls of the bag compromising the later use for carrying the used bag.

It is preferred that the closed end of the bag, in its folded position, leaves a part of the open end of the bag free as a flap capable of covering the inlet opening of the compartment as this flap will protect a fresh bag against mechanical damage
15 when stowed in a hand bag or a pocket.

In accordance with another preferred embodiment, one of the walls of the open end of the bag (the one being at the outside after folding the bag) is extended beyond the edge of the other wall forming an extended flap which may have a general rectangular, triangular or oval shape or the shape of a part of a circle.

20 The safety against damage and unintended catching of the bag is increased when the flap and the outer surface of the second wall forming the first compartment are provided with means for releasable attachment of the flap to the surface of the wall. Such means may be a releasable adhesive sealing or a peelable weld seam. The sealing may alternatively be effected using an adhesive
25 label placed on the flap. Such a label may also be used in a manner known per se for carrying information identifying the product.

It is preferred that the package is in the form of a bag made from a tube of a thermoplastic material, flattening the same and, optionally folding the edges at the same time to make two longitudinal folds (in analogy with conventional

production of plastics bags) and in a subsequent step cutting the tubing into the desired length and, preferably at the same time welding the bottom part thereof to form a bag. The bag may then be folded and the overlying edges sealed by applying an adhesive seal or a welding seam in a manner known per se. This
5 embodiment enables an expansion of the bag to have a larger opening enabling a safer placing of the used ostomy receiving bag without risk of soiling the sides of the open end of the bag which might compromise a safe containment and very low risk of escape of odour.

In a more preferred embodiment, the package is in the form of a bag made from
10 a sheet of a thermoplastic material by folding the sheet and welding the aligned edges forming a bag. Then, the bag may then be folded and the overlying edges sealed by applying an adhesive seal or a welding seam in a manner known per se. This embodiment provides a bag having edges having a welding seam and hence, a greater tearing resistance giving a more free choice of selecting the
15 adhesive material or the welding conditions when folding and sealing the edges of the first wall of the bag to form the first compartment.

A safe and discrete depositing of the used bag when having to rely on using a waste bin is secured when the bag is made from a material being substantially impervious to odour. A suitable such material is a material conventionally being
20 used for production of ostomy appliances, e.g. the ones mentioned above.

Description of the Preferred Embodiments

The invention is now explained more in detail with reference to the drawings showing preferred embodiments of the invention.

Reference is made to Figure 1 showing a sectional view of a preferred embodi-
25 ment of a package of the invention in the form of a bag 1 having a closed end 2 and an open end 3 and having a first wall 4 and a second wall 5, said bag being folded so that the closed end of the first wall is parallel to the open end of the first wall and the edges of the folded first wall being sealed releasably together to form the first compartment 6. In the first compartment is shown an ostomy

collecting bag 7. The open end 3 of the bag stretches beyond the folded closed end forming a flap 8.

In Fig. 2 shows the embodiment as Fig. 1 having a first compartment 6 closed by folding the flap 8 so that the first wall 4 contacts the outer surface of the second wall 5, said compartment encasing the ostomy receiving bag 7.

Fig. 3 shows a sectional view of an embodiment of a package of the invention in the form of a bag 1 having a closed end 2 and an open end 3 and having a first wall 4 and a second wall 5, said bag being folded so that the closed end of the first wall is parallel to the open end of the first wall and the folded edges of the first wall being sealed releasably together to form the first compartment 6. In the first compartment is shown an ostomy collecting bag 7. The open end 3 of the bag stretches beyond the folded closed end forming a flap 8, the wall 5 being extended beyond the edge of the other wall forming an extended flap 9.

Fig. 4 shows a front view of an embodiment of a package of the invention having a first compartment closed by folding the flap 8 so that the first wall contacts the outer surface of the second wall 5, said compartment encasing an indicated ostomy receiving bag 7, the outer surface of the second wall and further being provided with an adhesive label 10 for closing the first compartment. Furthermore, the edges of the folded two parts of the first wall are sealed releasably by welding seams 11.

Fig. 5 shows a sectional view of the embodiment of Fig. 4. This embodiment corresponds to the embodiment of Fig. 2 apart from the presence of the adhesive label 10.

When using the package of the invention, the ostomate breaks the seal of the flap, opens the first compartment and removes the fresh ostomy receiving bag for substituting the one in use. Then, the sealings closing the first compartment by sealing the edges of the folded first wall together are broken enabling an unfolding of the bag and give access to the full space of the package forming the

second compartment. After detaching the used receiving bag from the abdomen or from an ostomy body side member, the bag may be placed in the second compartment with or without emptying the bag as is appropriate. Then the package is advantageously sealed by tying a knot on a part of the open end or

5 using another suitable sealing means such as a clamp known per se for sealing an ostomy bag or an adhesive sealing which is preferably covered by a protecting release liner made from a suitable material such as polyethylene or a siliconised paper to be removed before use or a reusable adhesive placed on the flap. When a reusable adhesive is used on the flap, this may also be used for

10 closing the second compartment in which the used receiving bag is then safely confined.

Claims

1. A package for a disposable ostomy receiving bag, said package comprising a first compartment capable of accommodating a (fresh) ostomy receiving bag and a second compartment capable of accommodating a used ostomy receiving bag,
5 said second compartment being sealable so as to confine the receiving bag.
2. A package as claimed in claim 1 wherein the package is in the form of a bag having a closed end and an open end and having a first wall and a second wall, said bag being folded so that the closed end of the first wall is parallel to the open end of the first wall and the edges of the folded first wall being sealed
10 releasably together to form the first compartment.
3. A package as claimed in claim 1 or 2 wherein the closed end of the bag, in its folded position, leaves a part of the open end of the bag free as a flap capable of covering the inlet opening of the compartment.
4. A package as claimed in claim 3 wherein the flap and the outer surface of the
15 second wall forming the first compartment are provided with means for releasable attachment of the flap to the surface of the wall.
5. A package as claimed in any of claims 1 - 4 wherein the bag is made from a material being substantially impervious to odour.

1/5




Fig. 1

2/5




Fig. 2

3/5




Fig. 3

4/5




Fig. 4

5/5




Fig. 5

INTERNATIONAL SEARCH REPORT

International Application No

PCT/DK 02/00586

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61F5/445

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EP0-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 135 519 A (HELMER BRADLEY G) 4 August 1992 (1992-08-04) the whole document	1
A	DE 297 03 223 U (RIESINGER HANS DIETER) 15 May 1997 (1997-05-15) page 4, line 26 -page 5, line 34; figures	1
A	DE 30 38 923 A (RAUNSER KURT) 19 May 1982 (1982-05-19) claims; figures	1
A	GB 2 083 762 A (ENAK LTD) 31 March 1982 (1982-03-31)	
A	US 5 647 670 A (ISCOVICH ANGEL) 15 July 1997 (1997-07-15)	

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

4 December 2002

Date of mailing of the international search report

17/12/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3018

Authorized officer

Sánchez y Sánchez, J

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/DK 02/00586

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5135519	A	04-08-1992	NONE	
DE 29703223	U	15-05-1997	DE 29703223 U1	15-05-1997
DE 3038923	A	19-05-1982	DE 3038923 A1	19-05-1982
GB 2083762	A	31-03-1982	US 5108382 A	28-04-1992
US 5647670	A	15-07-1997	NONE	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.